

PharmLabs San Diego Certificate of Analysis

Sample **Loose Change - 1G - Dispo - Georgia Peach**

Delta9 THC	0.21%	THCa	ND	Total THC (THCa * 0.877 + THC)	0.21%	Delta8 THC	78.20%
------------	-------	------	----	--------------------------------	-------	------------	--------



Sample ID	SD260601-119 (140139)	Matrix	Concentrate
Tested for	Calli Extrax		
Received	Jun 01, 2026	Reported	Jun 16, 2026
Analyses executed	D9C, GA-FPC	Unit Mass (g)	1.0

Summary D9C: The total Δ9-THC content in this sample is 0.21%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue.

D9C - D9 Confirmation

Analyzed Jun 05, 2026 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppb	LOQ ppb	Result %	Result mg/g	Result mg/Unit
Δ9-Tetrahydrocannabinol (Δ9-THC)	1.462	4.432	0.21	2.12	2.12
Total Cannabinoids Analyzed	-	-	0.21	2.12	2.12

CANx - Cannabinoids

Analyzed Jun 03, 2026 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Unit
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND	ND
Cannabidiol (CBDO)	0.006	0.02	ND	ND	ND
Abnormal Cannabidiol (a-CBDO)	0.013	0.038	ND	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC)	0.015	0.045	ND	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.015	0.045	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND
Cannabigerol (CBG)	0.048	0.16	0.16	1.62	1.62
Cannabidiol (CBD)	0.069	0.229	ND	ND	ND
1(S)-Tetrahydrocannabidiol (1(S)-H4-CBD)	0.008	0.026	ND	ND	ND
1(R)-Tetrahydrocannabidiol (1(R)-H4-CBD)	0.016	0.049	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.049	0.162	ND	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.012	0.036	ND	ND	ND
Cannabidihexol (CBDH)	0.014	0.042	ND	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.01	0.029	ND	ND	ND
Cannabinol (CBN)	0.047	0.16	0.20	2.02	2.02
Cannabidiphorol (CBDP)	0.016	0.049	ND	ND	ND
exo-THC (exo-THC)	0.016	0.8	ND	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	D9C	D9C	D9C
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	78.20	781.96	781.96
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.8	ND	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.8	ND	ND	ND
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.8	ND	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.8	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.02	0.061	ND	ND	ND
Cannabinol Acetate (CBNO)	0.009	0.027	ND	ND	ND
9(S)-Hexahydrocannabinolic Acid (9(S)-HHCa)	0.063	0.065	ND	ND	ND
9(R)-Hexahydrocannabinolic Acid (9(R)-HHCa)	0.191	0.196	ND	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.8	4.16	41.61	41.61
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.8	ND	ND	ND
Cannabicitran (CBT)	0.005	0.16	0.12	1.18	1.18
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.8	ND	ND	ND
9(S)-HHCP (s-HHCP)	0.013	0.041	ND	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.8	ND	ND	ND
9(R)-HHCP (r-HHCP)	0.015	0.045	ND	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.037	0.112	ND	ND	ND
9(R)-HHC-O-acetate (r-HHCO)	0.031	0.093	ND	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.021	0.062	ND	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			D9C	D9C	D9C
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			78.20	781.96	781.96
Total CBD (CBDA * 0.877 + CBD)			ND	ND	ND
Total CBG (CBGA * 0.877 + CBG)			0.16	1.62	1.62
Total HHC (9r-HHC + 9s-HHC)			ND	ND	ND
Total Cannabinoids Analyzed			82.84	828.39	828.39

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Tue, 16 Jun 2026 15:31:20 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the state. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that the COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

HME - Heavy Metals

Analyzed Jun 13, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	0.00	0.2
Cadmium (Cd)	0.0005	0.0015	0.00	0.2
Mercury (Hg)	0.0058	0.0174	0.00	0.2
Lead (Pb)	0.0006	0.0018	0.01	0.2

MIBIG - Microbial

Analyzed Jun 03, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	N/A
Aspergillus fumigatus	1.0	1.0	ND	1
Aspergillus flavus	1.0	1.0	ND	1
Aspergillus niger	1.0	1.0	ND	1
Aspergillus terreus	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Jun 05, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	20
Aflatoxin B2	2.5	5.0	ND	20	Aflatoxin G1	2.5	5.0	ND	20
Aflatoxin G2	2.5	5.0	ND	20	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Tue, 16 Jun 2026 15:31:20 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the State. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that this COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Jun 05, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0.02	Carbofuran	0.01	0.02	ND	0.02
Dimethoate	0.01	0.02	ND	0.02	Etofenprox	0.02	0.1	ND	0.1
Fenoxycarb	0.01	0.02	ND	0.02	Thiachloprid	0.01	0.02	ND	0.02
Daminozide	0.01	0.03	ND	0.03	Dichlorvos	0.02	0.07	ND	0.07
Imazalil	0.02	0.07	ND	0.07	Methiocarb	0.01	0.02	ND	0.02
Spiroxamine	0.01	0.02	ND	0.02	Coumaphos	0.01	0.02	ND	0.02
Fipronil	0.01	0.1	ND	0.1	Paclobutrazol	0.01	0.03	ND	0.03
Chlorpyrifas	0.01	0.04	ND	0.04	Ethoprophos (Prophos)	0.01	0.02	ND	0.02
Baygon (Propoxur)	0.01	0.02	ND	0.02	Chlordane	0.04	0.1	ND	0.1
Chlorfenapyr	0.03	0.1	ND	0.1	Methyl Parathion	0.02	0.1	ND	0.1
Mevinphos	0.03	0.08	ND	0.08	Abamectin	0.03	0.08	ND	0.08
Acephate	0.02	0.05	ND	0.05	Acetamiprid	0.01	0.05	ND	0.05
Azoxystrobin	0.01	0.02	ND	0.02	Bifenazote	0.01	0.05	ND	0.05
Bifenthrin	0.02	0.35	ND	0.1	Boscalid	0.01	0.03	ND	0.03
Carbaryl	0.01	0.02	ND	0.02	Chlorantranilprole	0.01	0.04	ND	0.04
Clofentezine	0.01	0.03	ND	0.03	Diazinon	0.01	0.02	ND	0.02
Dimethomorph	0.02	0.06	ND	0.06	Etoazole	0.01	0.05	ND	0.05
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.02
Fludioxonil	0.01	0.05	ND	0.05	Hexythiazox	0.01	0.03	ND	0.03
Imidacloprid	0.01	0.05	ND	0.05	Kresoxim-methyl	0.01	0.03	ND	0.03
Malathion	0.01	0.05	ND	0.05	Metolaxyl	0.01	0.02	ND	0.02
Methomyl	0.02	0.05	ND	0.05	Myclobutanil	0.02	0.07	ND	0.07
Naled	0.01	0.02	ND	0.02	Oxamyl	0.01	0.02	ND	0.02
Permethrin	0.01	0.02	ND	0.02	Phosmet	0.01	0.02	ND	0.02
Piperonyl Butoxide	0.02	0.06	ND	0.06	Propiconazole	0.03	0.08	ND	0.08
Prallethrin	0.02	0.05	ND	0.05	Pyrethrin	0.05	0.41	ND	0.1
Pyridaben	0.02	0.07	ND	0.07	Spinosad A	0.01	0.05	ND	0.05
Spinosad D	0.01	0.05	ND	0.05	Spiromesifen	0.02	0.06	ND	0.06
Spir tetramat	0.01	0.02	ND	0.02	Tebuconazole	0.01	0.02	ND	0.02
Thiamethoxam	0.01	0.02	ND	0.02	Trifloxystrobin	0.01	0.02	ND	0.02
Acequinocyl	0.02	0.09	ND	0.09	Captan	0.01	0.02	ND	0.02
Cypermethrin	0.02	0.1	ND	0.1	Cyfluthrin	0.04	0.1	ND	0.1
Fenhexamid	0.02	0.07	ND	0.07	Spinetoram J,L	0.02	0.07	ND	0.07
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents

Analyzed Jun 10, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	N/A	Butane (But)	0.02	0.4	ND	800
Methanol (Metha)	1.176	3.92	ND	N/A	Ethylene Oxide (EthOx)	0.08	0.4	ND	N/A
Pentane (Pen)	0.024	0.4	ND	N/A	Ethanol (Ethan)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	N/A	Acetone (Acet)	0.044	0.4	ND	N/A
Isopropanol (2-Pro)	1.16	3.868	85.3	N/A	Acetonitrile (Acetonit)	0.888	2.952	ND	N/A
Methylene Chloride (MetCh)	0.04	0.4	ND	N/A	Hexane (Hex)	0.012	0.4	ND	100
Ethyl Acetate (EthAc)	0.032	0.4	ND	N/A	Chloroform (Clo)	0.028	0.4	ND	N/A
Benzene (Ben)	0.012	0.4	ND	N/A	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	N/A
Heptane (Hep)	0.012	0.4	<LOQ	500	Trichloroethylene (TriClEth)	0.072	0.4	ND	N/A
Toluene	0.036	0.4	ND	N/A	Xylenes (Xyl)	0.012	0.4	ND	N/A

FVI - Filth & Foreign Material Inspection

Analyzed Jun 02, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MICx - Microbial X

Analyzed Jun 03, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G	Limit CFU/G
Total Yeast & Molds (TYM)	1.0	1.0	ND	10000
Gram Negative Bacteria (BTGN)	1.0	1.0	ND	1000
Total Viable Aerobic Bacteria (TVAB)	1.0	1.0	ND	100000

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Tue, 16 Jun 2026 15:31:20 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This Certificate of Analysis (COA) shall not be reproduced, except in full, without the prior written approval of PharmLabs. Reported results apply only to the specific samples and batches identified herein and are not intended to represent any other lot, batch, or product. When a Pass/Fail status is reported, that status is determined in reference to the applicable federal, state, and local regulatory limits provided by the State. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state, or local regulations, in which case it is reported on the COA. Measurement of uncertainty is available upon request. PharmLabs makes no representation or warranty, express or implied, that the COA demonstrates product safety, efficacy, merchantability, or fitness for any particular use. It is the sole responsibility of the client or product manufacturer to determine compliance of their product(s) with all applicable federal, state, and local laws and regulations. PharmLabs shall not be liable for any damages, claims, or liabilities arising from the use, misuse, alteration, or reliance upon this COA by any third party. This COA is valid only as of the date of issuance. PharmLabs does not warrant the stability of the product beyond the date tested. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.